

# Protection Dashboard (Armor Anywhere)

Home > Armor Anywhere - Product User Guide > Health Overview Dashboard (Armor Anywhere) > Protection Dashboard (Armor Anywhere)

## Overview

In the **Protection** screen, the **Protection** score focuses on the stability of Armor services to determine if

- The agent is responding (heartbeating) to Armor
- The agent has registered properly

For **Armor Anywhere**, the **Protection** scores focuses on the following services:

- Malware Protection
- FIM
- IDS
- Filebeat (for Linux)
- Winlogbeat (for Windows)
- Vulnerability Scanning

## Review widgets and graph

Widget and graph type	Description								
Protection Score	<p>This widget displays a calculated score that includes the number of subagents in an unhealthy state.</p> <table border="1"><thead><tr><th>Score range</th><th>Health status</th></tr></thead><tbody><tr><td>10 - 8</td><td>Good</td></tr><tr><td>7 - 4</td><td>Fair</td></tr><tr><td>3 - 1</td><td>Poor</td></tr></tbody></table> <ul style="list-style-type: none"><li>• For <b>Armor Complete</b>, only virtual machines that are in a <b>Powered On</b> state are included.</li><li>• For <b>Armor Anywhere</b>, only virtual machines that have communicated (heartbeated) with Armor in the last 4 hours are included.</li></ul>	Score range	Health status	10 - 8	Good	7 - 4	Fair	3 - 1	Poor
Score range	Health status								
10 - 8	Good								
7 - 4	Fair								
3 - 1	Poor								
Assets Protected	This widget displays the number of virtual machines that contain the Armor agent.								
Healthy Services	This widget displays the percentage of agents and subagents that are working properly.								
Protection Score Trend	This graph displays the history of your protection scores.								

## Understand Service Health

The **Service Health** section displays the virtual machines that contain the installed Armor agent.

To view this section, you must have the **Read Virtual Machines(s)** permission assigned to your account.

Column	Description
Asset Name	<p>This column displays the name of the virtual machine.</p> <p>You can click the name of the virtual machine to access the <b>Virtual Machine</b> details screen.</p>
Status	<p>This column displays the security status of the virtual machine.</p> <ul style="list-style-type: none"><li>• <b>Unprotected</b> indicates the agent is not installed in the instance.<ul style="list-style-type: none"><li>• Instances without an agent will be labeled as <b>Unprotected</b>. All instances from the public cloud account will be displayed.</li></ul></li><li>• <b>Needs Attention</b> indicates that the agent is installed, but has not properly communicated (heartbeated) with Armor.</li><li>• <b>OK</b> indicates that the agent is installed and has communicated (heartbeated) with Armor.</li></ul>
Location	<p>For <b>Armor Complete</b>, this column will display name of the Armor virtual site.</p> <p>For <b>Armor Anywhere</b>, this column will display the name of the public cloud provider.</p>
Ticket	<p>This column displays the support ticket that troubleshoots the <b>Protection</b> issue.</p> <p>A <b>Protection</b> issue will automatically generate a support ticket.</p>

## Improve your Protection score

You can use the information below to troubleshoot the issues displayed in the **Protection** screen.

Armor recommends that you troubleshoot these issues to:

- Improve your Protection scores
- Improve your overall health scores
- Increase the overall security of your environment

Review each step to troubleshoot your problem. If the first step does not resolve the issue, then continue to the second step until the issue has been resolved. As always, you can send a support ticket.

To learn how to send a support ticket, see [Support Tickets](#).

## Logging

### Issue: The filebeat logging agent is not installed.

- ✓ [Step 1: Verify the status of filebeat](#)

	Description	Command	Extra information
<b>Windows</b>	Configurations are stored in the winlogbeat and filebeat directory within <b>C:\armor\opt\</b>	<pre>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml</pre>	<ul style="list-style-type: none"> <li>Windows uses both winlogbeat and filebeat.</li> <li>Commands should run in Powershell.</li> <li>To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> <li>C:\.armor\opt\winlogbeat*</li> <li>C:\.armor\opt\filebeat*</li> </ul> </li> </ul>
	To verify the operation of the logging services, look for <b>winlogbeat</b> , <b>filebeat</b>	<code>gsv -displayname armor-winlogbeat,armor-filebeat</code>	
	To verify the operation of the logging service processes, look for <b>winlogbeat</b>	<code>gps filebeat,winlogbeat</code>	
	Confirm the configured log endpoint	<pre>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml   sls hosts</pre>	
<b>Linux</b>	Configurations are stored within <b>/etc/filebeat/filebeat.yml</b>	<code>cat /etc/filebeat/*.yml</code>	
	Verify the operation of the filebeat service	<code>ps aux   grep filebeat</code>	
	Confirm the configured log endpoint	<code>grep -i hosts /etc/filebeat/filebeat.yml</code>	
	Confirm the external_id	<code>grep -i external_id /etc/filebeat/filebeat.yml</code>	
	Confirm the tenant ID	<code>grep -i tenant_id /etc/filebeat/filebeat.yml</code>	

## Issue: The winlogbeat logging agent is not installed.

This section only applies to Windows users.

### ▼ Step 1: Verify the status of winlogbeat

Description	Command	Extra information
Configurations are stored in the winlogbeat and filebeat directory within <b>C:\armor\opt\</b>	<pre>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml</pre>	<ul style="list-style-type: none"> <li>Windows uses both winlogbeat and filebeat.</li> <li>Commands should run in Powershell.</li> <li>To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> <li>C:\.armor\opt\winlogbeat*</li> <li>C:\.armor\opt\filebeat*</li> </ul> </li> </ul>
To verify the operation of the logging services, look for <b>winlogbeat</b> , <b>filebeat</b>	<code>gsv -displayname armor-winlogbeat,armor-filebeat</code>	
To verify the operation of the logging service processes, look for <b>winlogbeat</b>	<code>gps filebeat,winlogbeat</code>	

Confirm the configured log endpoint	cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml   sls hosts	
-------------------------------------	--	--

## Issue: Armor has not received a log in the past 4 hours.

### ✓ Step 1: Check logging services

	Description	Command	Extra information
<b>Windows</b>	Configurations are stored in the winlogbeat and filebeat directory within <b>C:\armor\opt\</b>	cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml	<ul style="list-style-type: none"> <li>Windows uses both winlogbeat and filebeat.</li> <li>Commands should run in Powershell.</li> <li>To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> <li>C:\armor\opt\winlogbeat*</li> <li>C:\armor\opt\filebeat*</li> </ul> </li> </ul>
	To verify the operation of the logging services, look for <b>winlogbeat</b> , <b>filebeat</b>	gsv -displayname armor-winlogbeat,armor-filebeat	
	To verify the operation of the logging service processes, look for <b>winlogbeat</b>	gps filebeat,winlogbeat	
	Confirm the configured log endpoint	cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml   sls hosts	
<b>Linux</b>	Configurations are stored within <b>/etc/filebeat/filebeat.yml</b>	cat /etc/filebeat/*.yml	
	Verify the operation of the filebeat service	ps aux   grep filebeat	
	Confirm the configured log endpoint	grep -i hosts /etc/filebeat/filebeat.yml	
	Confirm the external_id	grep -i external_id /etc/filebeat/filebeat.yml	
	Confirm the tenant ID	grep -i tenant_id /etc/filebeat/filebeat.yml	

### ✓ Step 2: Check connectivity

Port	Destination
515/tcp	<ul style="list-style-type: none"> <li>46.88.106.196 (1a.log.armor.com)</li> <li>146.88.144.196 (2a.log.armor.com)</li> </ul>

## Malware Protection

### Issue: Malware Protection has not provided a heartbeat in the past 4 hours

#### ✓ Step 1: Verify the status of the agent

	Description	Command
<b>Windows</b>	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
<b>Linux</b>	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

✓ **Step 2: Check the connectivity of the agent**

	Description	Command
<b>Windows</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

✓ **Step 3: Manually heartbeat the agent**

	Description	Command
<b>Windows</b>	Verify a 200 response	<pre> PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds. </pre>
<b>Linux</b>	Verify a 200 response	<pre> /opt/ds_agent/dsa_control -m </pre>

---

## Issue: Malware Protection is not installed or configured

▼ Step 1: Verify the status of the agent

	Description	Command
Windows	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

▼ Step 2: Check the connectivity of the agent

	Description	Command
Windows	Verify the URL endpoint <b>epsec.armor.com</b>	<code>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
Linux	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

▼ Step 3: Manually heartbeat the agent

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>

<b>Linux</b>	Verify a 200 response	<pre> /opt/ds_agent /dsa_control -m </pre>
--------------	-----------------------	--

✓ [Step 4: Check the components for the agent](#)

<b>Windows</b>	<pre> &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetComponentInfo   sls - pattern Component.AM </pre>
<b>Linux</b>	<pre> /opt/ds_agent/dsa_query -c GetComponentInfo   grep Component.AM </pre>

**Component.AM.mode** describes if the Malware Protection module is installed.

**Component.AM.rules** is the number of rules derived from the Armor Deep Security Manager.

## Issue: Reboot is required for Malware Protection

Step 1: Reboot your server

## File Integrity Monitoring (FIM)

### Issue: FIM has not provided a heartbeat in the past 4 hours

✓ [Step 1: Verify the status of the agent](#)

	Description	Command
<b>Windows</b>	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
<b>Linux</b>	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

✓ [Step 2: Check the connectivity of the agent](#)

	Description	Command
<b>Windows</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<pre> &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url </pre>

	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

▼ Step 3: Manually heartbeat the agent

	Description	Command
<b>Windows</b>	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
<b>Linux</b>	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

## Issue: FIM is installed but has not been configured

▼ Step 1: Verify the status of the agent

	Description	Command
<b>Windows</b>	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
<b>Linux</b>	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

▼ Step 2: Check the connectivity of the agent

	Description	Command
--	-------------	---------

<b>Windows</b>	Verify the URL endpoint <b>epsec.armor.com</b>	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

▼ Step 3: Manually heartbeat the agent

	Description	Command
<b>Windows</b>	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
<b>Linux</b>	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

▼ Step 4: Check the components for the agent

<b>Windows</b>	<pre>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetComponentInfo   sls -pattern Component.IM</pre>
----------------	---

Linux

```
/opt/ds_agent/dsa_query -c  
GetComponentInfo | grep  
Component.IM
```

**Component.IM.mode** describes if the FIM module is installed.

**Component.IM.rules** is the number of rules derived from the Armor Deep Security Manager.

## Issue: FIM is not installed

### Step 1: Verify the status of the agent

	Description	Command
Windows	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

### Step 2: Check the connectivity of the agent

	Description	Command
Windows	Verify the URL endpoint <b>epsec.armor.com</b>	<code>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
Linux	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

### Step 3: Manually heartbeat the agent

	Description	Command
--	-------------	---------

Windows	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	<pre>/opt/ds_agent /dsa_control -m</pre>

## Intrusion Detection System (IDS)

### Issue: IDS has not provided a heartbeat in the past 4 hours

✓ [Step 1: Verify the status of the agent](#)

	Description	Command
Windows	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

✓ [Step 2: Check the connectivity of the agent](#)

	Description	Command
Windows	Verify the URL endpoint <b>epsec.armor.com</b>	<code>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>

<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

▼ Step 3: Manually heartbeat the agent

	Description	Command
<b>Windows</b>	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
<b>Linux</b>	Verify a 200 response	<pre>/opt/ds_agent /dsa_control -m</pre>

## Issue: IDS is installed but has not been configured

▼ Step 1: Verify the status of the agent

	Description	Command
<b>Windows</b>	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
<b>Linux</b>	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

▼ Step 2: Check the connectivity of the agent

	Description	Command
<b>Windows</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>&amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url</code>

	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	<code>/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

▼ Step 3: Manually heartbeat the agent

	Description	Command
<b>Windows</b>	Verify a 200 response	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
<b>Linux</b>	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

## Issue: IDS is not installed or enabled

▼ Step 1: Verify the status of the agent

	Description	Command
<b>Windows</b>	Verify that the service is <b>running</b>	<code>gsv -displayname *trend*</code>
<b>Linux</b>	Verify that the service is <b>running</b>	<code>ps_axu   grep ds_agent</code>

▼ Step 2: Check the connectivity of the agent

	Description	Command
--	-------------	---------

<b>Windows</b>	Verify the URL endpoint <b>epsec.armor.com</b>	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus   sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
<b>Linux</b>	Verify the URL endpoint <b>epsec.armor.com</b>	/opt/ds_agent/dsa_query -c GetAgentStatus   grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

▼ Step 3: Manually heartbeat the agent

<b>Windows</b>	<pre>PS C:\Users\Administrator&gt; &amp; "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
<b>Linux</b>	<pre>/opt/ds_agent/dsa_control -m</pre>

## Vulnerability Scanning

### Issue: If IR Agent is not installed

▼ Step 1: Verify the status of the agent

<b>Windows</b>	<ul style="list-style-type: none"> <li>IR Agent files are located within C:\Program Files\Rapid7</li> <li>The IR Agent service name is "Rapid7 Insight Agent"</li> </ul>
<b>Linux</b>	<ul style="list-style-type: none"> <li>IR Agent files are located within /opt/rapid7/ir_agent</li> <li>IR Agent logs are located within /opt/rapid7/ir_agent/agent.log*</li> <li>Upgrade logs are one level above, within /opt/rapid7/upgrade*</li> </ul>

▼ Step 2: Check connectivity of the agent

Port	Destination
------	-------------

443/tcp (IR Agent)	<ul style="list-style-type: none"> <li>• endpoint.ingress.rapid7.com *</li> <li>• (United States)</li> <li>• eu.endpoint.ingress.rapid7.com *</li> <li>• (Europe, Middle East, Africa)</li> </ul>
--------------------	---

\* The agent will perform a lookup to the applicable DNS entry, which may resolve to one of [multiple Amazon Web Services based subnets](#). As a result, if your firewall does not support outbound filtering by domain name, then you may need to open all outbound traffic to 443/tcp to accommodate this service.

## Issue: The Vulnerability Scanning agent did not run during the most recent scan

### Step 1: Verify the status of the agent

<b>Windows</b>	<ul style="list-style-type: none"> <li>• IR Agent files are located within C:\Program Files\Rapid7</li> <li>• The IR Agent service name is "Rapid7 Insight Agent"</li> </ul>
<b>Linux</b>	<ul style="list-style-type: none"> <li>• IR Agent files are located within /opt/rapid7/ir_agent</li> <li>• IR Agent logs are located within /opt/rapid7/ir_agent/agent.log*</li> <li>• Upgrade logs are one level above, within /opt/rapid7/upgrade*</li> </ul>

### Step 2: Check connectivity of the agent

Port	Destination
443/tcp (IR Agent)	<ul style="list-style-type: none"> <li>• endpoint.ingress.rapid7.com *</li> <li>• (United States)</li> <li>• eu.endpoint.ingress.rapid7.com *</li> <li>• (Europe, Middle East, Africa)</li> </ul>

\* The agent will perform a lookup to the applicable DNS entry, which may resolve to one of [multiple Amazon Web Services based subnets](#). As a result, if your firewall does not support outbound filtering by domain name, then you may need to open all outbound traffic to 443/tcp to accommodate this service.

## Export Protection screen data

1. In the Armor Management Portal (AMP), in the left-side navigation, click **Security**.
2. Click **Protection**.
3. (Optional) Use the search bar to customize the data displayed.
4. Below the table, click **CSV**. You have the option to export all the data (**All**) or only the data that appears on the current screen (**Current Set**).

Column	Description
Asset Name	This column display the name of the virtual machine (or instance).
Location	This column displays the data center location for for the virtual machine (or instance).

Service	<p>For <b>Armor Complete</b>, the <b>Protection</b> scores focuses on the following services:</p> <ul style="list-style-type: none"><li>• Malware Protection</li><li>• FIM</li><li>• Filebeat (for Linux)</li><li>• Winlogbeat (for Windows)</li></ul> <p>For <b>Armor Anywhere</b>, the <b>Protection</b> scores focuses on the following services:</p> <ul style="list-style-type: none"><li>• Malware Protection</li><li>• FIM</li><li>• IDS</li><li>• Filebeat (for Linux)</li><li>• Winlogbeat (for Windows)</li><li>• Vulnerability Scanning</li></ul>
Status	<p>This column displays the security status of the virtual machine (or instance), which can be:</p> <ul style="list-style-type: none"><li>• Warning</li><li>• Needs Attention</li><li>• OK</li></ul>
Message	<p>This column displays a brief message to explain the reason for the <b>Warning</b> or <b>Needs Attention</b> status.</p>

---