

Protection Dashboard (Armor Anywhere)



[Home](#) > [Armor Anywhere - Product User Guide](#) > [Health Overview Dashboard \(Armor Anywhere\)](#) > [Protection Dashboard \(Armor Anywhere\)](#)

Overview


In the **Protection** screen, the **Protection** score focuses on the stability of Armor services to determine if

- The agent is responding (heartbeating) to Armor
- The agent has registered properly

For **Armor Anywhere**, the **Protection** scores focuses on the following services:

- Malware Protection
- FIM
- IDS
- Filebeat (for Linux)
- Winlogbeat (for Windows)
- Vulnerability Scanning

Review widgets and graph

Widget and graph type	Description								
Protection Score	<p>This widget displays a calculated score that includes the number of subagents in an unhealthy state.</p> <table border="1"><thead><tr><th>Score range</th><th>Health status</th></tr></thead><tbody><tr><td>10 - 8</td><td>Good</td></tr><tr><td>7 - 4</td><td>Fair</td></tr><tr><td>3 - 1</td><td>Poor</td></tr></tbody></table> <div style="border: 1px solid #ffc107; padding: 10px; margin-top: 10px;"><ul style="list-style-type: none">• For Armor Complete, only virtual machines that are in a Powered On state are included.• For Armor Anywhere, only virtual machines that have communicated (heartbeated) with Armor in the last 4 hours are included.</div>	Score range	Health status	10 - 8	Good	7 - 4	Fair	3 - 1	Poor
Score range	Health status								
10 - 8	Good								
7 - 4	Fair								
3 - 1	Poor								
Assets Protected	This widget displays the number of virtual machines that contain the Armor agent.								
Healthy Services	This widget displays the percentage of agents and subagents that are working properly.								
Protection Score Trend	This graph displays the history of your protection scores.								



Understand Service Health

The **Service Health** section displays the virtual machines that contain the installed Armor agent.



To view this section, you must have the **Read Virtual Machines(s)** permission assigned to your account.

Column	Description
--------	-------------

Asset Name	This column displays the name of the virtual machine. <div style="border: 1px solid #ccc; padding: 5px; background-color: #fff9c4;">  You can click the name of the virtual machine to access the Virtual Machine details screen. </div>
Status	This column displays the security status of the virtual machine. <ul style="list-style-type: none"> • Unprotected indicates the agent is not installed in the instance. <ul style="list-style-type: none"> • Instances without an agent will be labeled as Unprotected. All instances from the public cloud account will be displayed. • Needs Attention indicates that the agent is installed, but has not properly communicated (heartbeated) with Armor. • OK indicates that the agent is installed and has communicated (heartbeated) with Armor.
Location	For Armor Complete , this column will display name of the Armor virtual site. For Armor Anywhere , this column will display the name of the public cloud provider.
Ticket	This column displays the support ticket that troubleshoots the Protection issue. <div style="border: 1px solid #ccc; padding: 5px; background-color: #fff9c4;">  A Protection issue will automatically generate a support ticket. </div>


Improve your Protection score

You can use the information below to troubleshoot the issues displayed in the **Protection** screen.

Armor recommends that you troubleshoot these issues to:

- Improve your Protection scores
- Improve your overall health scores
- Increase the overall security of your environment

Review each step to troubleshoot your problem. If the first step does not resolve the issue, then continue to the second step until the issue has been resolved. As always, you can send a support ticket.

 To learn how to send a support ticket, see [Support Tickets](#).

Logging

Issue: The filebeat logging agent is not installed.

	Description	Command	Extra information
Windows	Configurations are stored in the winlogbeat and filebeat directory within C:\armor\opt\	<pre>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml</pre>	<ul style="list-style-type: none"> • Windows uses both winlogbeat and filebeat. • Commands should run in Powershell. • To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> • C:\armor\opt\winlogbeat* • C:\armor\opt\filebeat*
	To verify the operation of the logging services, look for winlogbeat , filebeat	<pre>gsv -displayname armor-winlogbeat, armor-filebeat</pre>	
	To verify the operation of the logging service processes, look for winlogbeat	<pre>gps filebeat, winlogbeat</pre>	
	Confirm the configured log endpoint	<pre>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml sls hosts</pre>	

Linux	Configurations are stored within /etc/filebeat/filebeat.yml	<code>cat /etc/filebeat/*.yml</code>	
	Verify the operation of the filebeat service	<code>ps aux grep filebeat</code>	
	Confirm the configured log endpoint	<code>grep -i hosts /etc/filebeat/filebeat.yml</code>	
	Confirm the external_id	<code>grep -i external_id /etc/filebeat/filebeat.yml</code>	
	Confirm the tenant ID	<code>grep -i tenant_id /etc/filebeat/filebeat.yml</code>	

Issue: The winlogbeat logging agent is not installed.



This section only applies to Windows users.

Description	Command	Extra information
Configurations are stored in the winlogbeat and filebeat directory within C:\armor\opt\	<code>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml</code> <code>cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml</code>	<ul style="list-style-type: none"> Windows uses both winlogbeat and filebeat. Commands should run in Powershell. To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> C:\.armor\opt\winlogbeat* C:\.armor\opt\filebeat*
To verify the operation of the logging services, look for winlogbeat, filebeat	<code>gsv -displayname armor-winlogbeat, armor-filebeat</code>	
To verify the operation of the logging service processes, look for winlogbeat	<code>gps filebeat, winlogbeat</code>	
Confirm the configured log endpoint	<code>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml sls hosts</code>	

Issue: Armor has not received a log in the past 4 hours.

	Description	Command	Extra information
Windows	Configurations are stored in the winlogbeat and filebeat directory within C:\armor\opt\	<code>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml</code> <code>cat C:\.armor\opt\filebeat-5.2.0-windows-x86_64\filebeat.yml</code>	<ul style="list-style-type: none"> Windows uses both winlogbeat and filebeat. Commands should run in Powershell. To review additional configurations, certificates, and service information, review a server's directory: <ul style="list-style-type: none"> C:\.armor\opt\winlogbeat* C:\.armor\opt\filebeat*
	To verify the operation of the logging services, look for winlogbeat, filebeat	<code>gsv -displayname armor-winlogbeat, armor-filebeat</code>	
	To verify the operation of the logging service processes, look for winlogbeat	<code>gps filebeat, winlogbeat</code>	
	Confirm the configured log endpoint	<code>cat C:\.armor\opt\winlogbeat-5.2.0-windows-x86_64\winlogbeat.yml sls hosts</code>	
Linux	Configurations are stored within /etc/filebeat/filebeat.yml	<code>cat /etc/filebeat/*.yml</code>	
	Verify the operation of the filebeat service	<code>ps aux grep filebeat</code>	
	Confirm the configured log endpoint	<code>grep -i hosts /etc/filebeat/filebeat.yml</code>	

	Confirm the external_id	grep -i external_id /etc/filebeat /filebeat.yml	
	Confirm the tenant ID	grep -i tenant_id /etc/filebeat /filebeat.yml	

Port	Destination
515/tcp	<ul style="list-style-type: none"> • 46.88.106.196 <ul style="list-style-type: none"> • (1a.log.armor.com) • 146.88.144.196 <ul style="list-style-type: none"> • (2a.log.armor.com)

Malware Protection

Issue: Malware Protection has not provided a heartbeat in the past 4 hours

	Description	Command
Windows	Verify that the service is running	gsv -displayname *trend*
Linux	Verify that the service is running	ps_axu grep ds_agent

	Description	Command
Windows	Verify the URL endpoint epsec.armor.com	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
Linux	Verify the URL endpoint epsec.armor.com	/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	/opt/ds_agent/dsa_control -m

Issue: Malware Protection is not installed or configured

	Description	Command
Windows	Verify that the service is running	gsv -displayname *trend*
Linux	Verify that the service is running	ps_axu grep ds_agent

	Description	Command
Windows	Verify the URL endpoint epsec.armor.com	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
Linux	Verify the URL endpoint epsec.armor.com	/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	/opt/ds_agent/dsa_control -m

Windows	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetComponentInfo sls -pattern Component.AM
Linux	/opt/ds_agent/dsa_query -c GetComponentInfo grep Component.AM



Component.AM.mode describes if the Malware Protection module is installed.

Component.AM.rules is the number of rules derived from the Armor Deep Security Manager.

Issue: Reboot is required for Malware Protection

Step 1: Reboot your server

File Integrity Monitoring (FIM)

Issue: FIM has not provided a heartbeat in the past 4 hours

	Description	Command
Windows	Verify that the service is running	gsv -displayname *trend*
Linux	Verify that the service is running	ps_axu grep ds_agent

	Description	Command
--	-------------	---------

Windows	Verify the URL endpoint epsec.armor.com	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
Linux	Verify the URL endpoint epsec.armor.com	/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

Issue: FIM is installed but has not been configured

	Description	Command
Windows	Verify that the service is running	gsv -displayname *trend*
Linux	Verify that the service is running	ps_axu grep ds_agent

	Description	Command
Windows	Verify the URL endpoint epsec.armor.com	& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url
	Confirm connection to the URL	new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)
Linux	Verify the URL endpoint epsec.armor.com	/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl
	Confirm connection to the URL	telnet 146.88.106.210 443

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>

Linux	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>
Windows		<pre>& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetComponentInfo sls -pattern Component.IM</pre>
Linux		<pre>/opt/ds_agent/dsa_query -c GetComponentInfo grep Component.IM</pre>



Component.IM.mode describes if the FIM module is installed.

Component.IM.rules is the number of rules derived from the Armor Deep Security Manager.

Issue: FIM is not installed

	Description	Command
Windows	Verify that the service is running	<pre>gsv -displayname *trend*</pre>
Linux	Verify that the service is running	<pre>ps_axu grep ds_agent</pre>

	Description	Command
Windows	Verify the URL endpoint epsec.armor.com	<pre>& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url</pre>
	Confirm connection to the URL	<pre>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</pre>
Linux	Verify the URL endpoint epsec.armor.com	<pre>/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl</pre>
	Confirm connection to the URL	<pre>telnet 146.88.106.210 443</pre>

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

Intrusion Detection System (IDS)

Issue: IDS has not provided a heartbeat in the past 4 hours

	Description	Command
--	-------------	---------

Windows	Verify that the service is running	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is running	<code>ps_axu grep ds_agent</code>

	Description	Command
Windows	Verify the URL endpoint epse.c.armor.com	<code>& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
Linux	Verify the URL endpoint epse.c.armor.com	<code>/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

	Description	Command
Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	<code>/opt/ds_agent/dsa_control -m</code>

Issue: IDS is installed but has not been configured

	Description	Command
Windows	Verify that the service is running	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is running	<code>ps_axu grep ds_agent</code>

	Description	Command
Windows	Verify the URL endpoint epse.c.armor.com	<code>& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
Linux	Verify the URL endpoint epse.c.armor.com	<code>/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

	Description	Command
--	-------------	---------

Windows	Verify a 200 response	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	Verify a 200 response	<pre>/opt/ds_agent/dsa_control -m</pre>

Issue: IDS is not installed or enabled

	Description	Command
Windows	Verify that the service is running	<code>gsv -displayname *trend*</code>
Linux	Verify that the service is running	<code>ps_axu grep ds_agent</code>

	Description	Command
Windows	Verify the URL endpoint epse.c.armor.com	<code>& "C:\Program Files\Trend Micro\Deep Security Agent\dsa_query.cmd" -c GetAgentStatus sls -pattern url</code>
	Confirm connection to the URL	<code>new-object System.Net.Sockets.TcpClient('146.88.106.210', 443)</code>
Linux	Verify the URL endpoint epse.c.armor.com	<code>/opt/ds_agent/dsa_query -c GetAgentStatus grep AgentStatus.dsmUrl</code>
	Confirm connection to the URL	<code>telnet 146.88.106.210 443</code>

Windows	<pre>PS C:\Users\Administrator> & "C:\Program Files\Trend Micro\Deep Security Agent\dsa_control.cmd" -m HTTP Status: 200 - OK Response: Manager contact has been scheduled to occur in the next few seconds.</pre>
Linux	<pre>/opt/ds_agent/dsa_control -m</pre>

Vulnerability Scanning

Issue: If IR Agent is not installed

Windows	<ul style="list-style-type: none"> IR Agent files are located within C:\Program Files\Rapid7 The IR Agent service name is "Rapid7 Insight Agent"
Linux	<ul style="list-style-type: none"> IR Agent files are located within /opt/rapid7/ir_agent IR Agent logs are located within /opt/rapid7/ir_agent/agent.log* Upgrade logs are one level above, within /opt/rapid7/upgrade*

Port	Destination
443/tcp (IR Agent)	<ul style="list-style-type: none"> • endpoint.ingress.rapid7.com * <ul style="list-style-type: none"> • (United States) • eu.endpoint.ingress.rapid7.com * <ul style="list-style-type: none"> • (Europe, Middle East, Africa)



* The agent will perform a lookup to the applicable DNS entry, which may resolve to one of [multiple Amazon Web Services based subnets](#). As a result, if your firewall does not support outbound filtering by domain name, then you may need to open all outbound traffic to 443/tcp to accommodate this service.

Issue: The Vulnerability Scanning agent did not run during the most recent scan

Windows	<ul style="list-style-type: none"> • IR Agent files are located within C:\Program Files\Rapid7 • The IR Agent service name is "Rapid7 Insight Agent"
Linux	<ul style="list-style-type: none"> • IR Agent files are located within /opt/rapid7/ir_agent • IR Agent logs are located within /opt/rapid7/ir_agent/agent.log* • Upgrade logs are one level above, within /opt/rapid7/upgrade*

Port	Destination
443/tcp (IR Agent)	<ul style="list-style-type: none"> • endpoint.ingress.rapid7.com * <ul style="list-style-type: none"> • (United States) • eu.endpoint.ingress.rapid7.com * <ul style="list-style-type: none"> • (Europe, Middle East, Africa)



* The agent will perform a lookup to the applicable DNS entry, which may resolve to one of [multiple Amazon Web Services based subnets](#). As a result, if your firewall does not support outbound filtering by domain name, then you may need to open all outbound traffic to 443/tcp to accommodate this service.

Export Protection screen data

1. In the Armor Management Portal (AMP), in the left-side navigation, click **Security**.
2. Click **Protection**.
3. (Optional) Use the search bar to customize the data displayed.
4. Below the table, click **CSV**. You have the option to export all the data (**All**) or only the data that appears on the current screen (**Current Set**).

Column	Description
Asset Name	This column display the name of the virtual machine (or instance).
Location	This column displays the data center location for for the virtual machine (or instance).

Service	<p>For Armor Complete, the Protection scores focuses on the following services:</p> <ul style="list-style-type: none">• Malware Protection• FIM• Filebeat (for Linux)• Winlogbeat (for Windows) <p>For Armor Anywhere, the Protection scores focuses on the following services:</p> <ul style="list-style-type: none">• Malware Protection• FIM• IDS• Filebeat (for Linux)• Winlogbeat (for Windows)• Vulnerability Scanning
Status	<p>This column displays the security status of the virtual machine (or instance), which can be:</p> <ul style="list-style-type: none">• Warning• Needs Attention• OK
Message	<p>This column displays a brief message to explain the reason for the Warning or Needs Attention status.</p>
