

# Account Management API calls



Generally, this section applies to both **Armor Complete** and **Armor Anywhere** users; however, review the table below to make sure the specific API call is compatible with your product.

API call	Description	Product compatibility
<a href="#">Get Accounts</a>	The <b>Get Accounts</b> API retrieves basic account information, particularly a list of products and services associated with the account (or accounts).	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Update Account</a>	The <b>Update Account</b> API updates the billing address for your account.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Get Account</a>	The <b>Get Account</b> API retrieves basic account information.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Get Account Contacts</a>	The <b>Get Account Contacts</b> API retrieves a list of Armor support contacts for your account, such as the technical contact or billing contact.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Get Account Usage</a>	The <b>Get Account Usage</b> API retrieves information for your servers, including server usage.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Get Tags</a>	The <b>Get Tags</b> API retrieves tags based on entityType and entityID.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Create Tags</a>	The <b>Create Tags</b> API adds a tag to a specified entityType and entityID.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Delete Tags</a>	The <b>Delete Tags</b> API deletes a specified tag for a given entityType and entityID.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<a href="#">Get Notes</a>	The <b>Get Notes</b> API retrieves a note for a specified entityType and entityID.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>

<b>Create Notes</b>	The <b>Create Notes</b> API adds notes to a specified entityType and entityId.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Delete Notes</b>	The <b>Deletes Notes</b> API deletes notes from a specified entityType and entityId.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Invoices</b>	The <b>Get Invoices</b> API retrieves invoices for your account, including paid and unpaid invoices; however, this API call will not retrieve deleted invoices.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Invoice</b>	The <b>Get Invoice</b> API retrieves the invoice summary for a specified invoice.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Invoice Detail</b>	The <b>Get Invoice Details</b> API retrieves invoice export details for an invoice.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Payment Methods</b>	The <b>Get Payment Methods</b> API retrieves information for the payment method for an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Delete Payment Methods</b>	The <b>Delete Payment Methods</b> API deletes the payment method for an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Patch Payment Method</b>	The <b>Patch Payment Method</b> API configures the primary payment method for an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Notification Alerts</b>	The <b>Get Notification Alerts</b> API retrieves notification alerts for an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Notification Alerts Count</b>	The <b>Get Notification Alerts Count</b> API retrieves the number of alerts that have not been marked as 'read.'	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Mark Notification Alerts Read</b>	The <b>Mark Notification Alerts Read</b> API marks all notifications as 'read.'	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>

<b>Mark Notification Alert Read</b>	The <b>Mark Notification Alert Read</b> API marks a specific notification alert as read.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Product Lists</b>	The <b>Get Product Lists</b> API retrieves any product lists that are associated to your account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Product List</b>	The <b>Get Product List</b> API retrieves a specific product list for your account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Products</b>	The <b>Get Products</b> API retrieves a filtered list of products specific to a category within a given product list in your account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Permissions</b>	The <b>Get Permissions</b> API retrieves a list of all the permissions available in the account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Roles</b>	The <b>Get Roles</b> API retrieves a list of all the roles on the account, including the associated permissions and assigned users.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Create Role</b>	The <b>Create Role</b> API creates a role with a group of permissions.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Delete Role</b>	The <b>Delete Role</b> API deletes a role by the specified ID.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Role</b>	The <b>Get Role</b> API retrieves a role by the specified role ID.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update Role Name and Permissions</b>	The <b>Update Role Name and Permissions</b> API updates the name of the role and adds permissions to the role.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Delete User From a Role</b>	The <b>Delete User from a Role</b> API removes a user from a role.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>

<b>Add User to a Role</b>	The <b>Add User to a Role</b> API adds a user to a role.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Subscriptions</b>	The <b>Get Subscriptions</b> API retrieves subscriptions for the account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Cancel Subscription</b>	The <b>Cancel Subscription</b> API cancels an active subscription.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Users</b>	The <b>Get Users</b> API retrieves a list of users in your account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Invite User</b>	The <b>Invite User</b> API invites a new or existing user to an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get User</b>	The <b>Get User</b> API retrieves account information for a specified user.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update User</b>	The <b>Update User</b> API updates the profile details for a user.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Reset User Password</b>	The <b>Reset User Password</b> API resets a user's password.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get User Notification Settings</b>	The <b>Get User Notification Settings</b> API retrieves a user's notification setting.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update User Notification Settings</b>	The <b>Update User Notification Settings</b> API updates the notifications settings for a user.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update an User Status (Enable or Disable an User)</b>	The <b>Update a user status</b> API enables or disables a user account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>

<b>Resend User Invite</b>	The <b>Resend User Invite</b> API resends the email invitation to the invited user.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update User Challenge Phrase</b>	The <b>Update User Challenge Phrase</b> API updates the challenge phrase for a user account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Validate MFA Phone Device</b>	The <b>Validate MFA Phone Device</b> API validates a phone number to use for Multi-Factor Authentication (MFA).	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Post Cloud Connections</b>	The <b>Post Cloud Connections</b> API returns basic information about existing cloud connections.	<ul style="list-style-type: none"> <li>• Armor Anywhere</li> </ul>
<b>Delete Cloud Connections</b>	The <b>Delete Cloud Connections</b> API removes a specified cloud connection from the Armor Management Portal (AMP); however, the cloud connection will remain in the internal database.	<ul style="list-style-type: none"> <li>• Armor Anywhere</li> </ul>
<b>Get Cloud Connections</b>	The <b>Get Cloud Connections</b> API returns detailed information about a specified cloud connection.	<ul style="list-style-type: none"> <li>• Armor Anywhere</li> </ul>
<b>Get Cloud Connections (Status)</b>	The <b>Get Cloud Connections (Status)</b> API returns the status of cloud connections, specifically if the cloud connection is enabled or disabled, as well as the status of the corresponding services for each cloud connection	<ul style="list-style-type: none"> <li>• Armor Anywhere</li> </ul>
<b>Get Cloud Connections (Services Type)</b>	The <b>Get Cloud Connections (Service Types)</b> API returns information about the services associated with the cloud connection, such as <b>CloudTrail Log Ingestion</b> or <b>EC2 Metadata and Orchestration</b> .	<ul style="list-style-type: none"> <li>• Armor Anywhere</li> </ul>
<b>Create API Key</b>	The <b>Create API Key</b> creates an API token, which you can use to access the Armor API system.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get API Key</b>	The <b>Get API Key</b> retrieves a list of API tokens.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Delete API Key</b>	The <b>Delete API Key</b> API deletes a specified API token.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Get Primary Billing Account User</b>	The <b>Get Primary Billing Account User</b> API retrieves the user who has been configured as the primary billing user for an account.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>
<b>Update Primary Account Billing User</b>	The <b>Update Primary Account Billing User</b> API updates the user who has been configured as the primary account billing user.	<ul style="list-style-type: none"> <li>• Armor Complete</li> <li>• Armor Anywhere</li> </ul>

<b>Get Child Accounts</b>	The <b>Get Child Accounts</b> API retrieves basic account information for any child account associated with your parent account.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>
<b>Create a Child Account</b>	The <b>Create a Child Account</b> API creates a child account under your (parent) account.	<ul style="list-style-type: none"><li>• Armor Complete</li><li>• Armor Anywhere</li></ul>